

Medium-Duty Clearfloor

SERIES FEATURES:

- Wide or narrow configuration
- Exclusive "Tru-Metric" arms
- Single-point safety release
- Dual "Direct-Drive" cylinders
- Electric / hydraulic power
- 17" x 19" A36 steel base plate
- UHMW polyethylene bearings
- Dual 3"- spaced safety locks
- Automatic arm restraints
- Heavy-duty aircraft cable
- Oversized sheave diameter
- Padded safety-shutoff bar
- 4-piece truck and van adapters
- Triple-telescoping / low-pro arms
- Telescoping screw pads
- Stackable adapters
- Single piece columns
- Optional foot guards
- Accommodates a wide variety of vehicles assemblies
- Safety locks in each column

**XPR-10S
Clearfloor**
5175395



Lifting Capacity - 10,000 lbs.
Max. Rise - 69"
Width - 132" or 145" / Height - 145"

**XPR-10S-LP
Clearfloor Low-Pro™ Arms**
5175396



Lifting Capacity - 10,000 lbs.
Max. Rise - 69"
Width - 132" or 145" / Height - 145"

**XPR-10XLS
Clearfloor Extra Tall**
5175129



Lifting Capacity - 10,000 lbs.
Max. Rise - 75"
Width - 132" or 145" / Height - 157"

**XPR-10AS
Asymmetric**
5175397



Lifting Capacity - 10,000 lbs.
Max. Rise - 73"
Width - 137" or 145" / Height - 145"

**XPR-10AS-LP
Asymmetric
Low-Pro™ Arms**
5175398




Lifting Capacity - 10,000 lbs.
Max. Rise - 73"
Width - 137" or 145" / Height - 145"

**XPR-10AXLS Asymmetric
Clearfloor Extra Tall**
5175991



Lifting Capacity - 10,000 lbs.
Max. Rise - 75"
Width - 132" or 145" / Height - 157"



XPR-10AS



XPR-10S-168 5175399
Clearfloor Extended Height

XPR-10S-168-LP 5175400
Clearfloor Extended Height / Low-Pro Arms

XPR-10AS-168 5175401
Asymmetric Extended Height

XPR-10AS-168-LP 5175402
Asymmetric Extended Height / Low-Pro Arms

XPR-10XLS-181 5175231
Clearfloor Extended Height

XPR-10XLS-LP-181 5175194
Asymmetric Extended Height

**Features bolt-on top extension
for added 24" clearance**

ACCESSORIES:



Polyurethane Tuf-Pads
5715017 (ea)



Steel Lift Pads
5215692 (ea)



Frame Cradle Pads
5215702 (ea)



Tall Stacking Adapters
5746193 (ea)



Air / Electric Work Station
5210438

XPR-10AS

Shown with air / electric
work station and foot guards
5175397



FREE truck and van adapters come
standard with all BendPak 2-post lifts

Featuring:
NEW
TELESCOPING
SCREW PADS

GUNMETAL GRAY
COMES STANDARD
ON ALL BENDPAK LIFTS

- Heavy-duty 1/2" aircraft quality equalizer cables
- Safety locks every 3"

UHMW polyethylene bearing system

Dual hydraulic direct-drive cylinders


Single point safety release

Padded overhead safety shutoff bar


Oversized cable sheave diameter
reduces cable fatigue

Adjustable Width
Can be installed in either wide or narrow configurations

Automatic arm restraints



Symmetric Vehicle Loading



Asymmetric Vehicle Loading



Triple-telescoping arm design

**All 9K & 10K lifts come standard
with NEW telescoping screw pads**

Medium-Heavy Duty Floor Plate

SERIES FEATURES:

- Adjustable width design
- Dual hydraulic lifting cylinders
- Single-piece columns
- Single point safety release
- Drop-end arms provide a lower pad height
- Triple-telescoping arms
- Electric / hydraulic system
- Self-lubricating dura-glide UHMW polyethylene bearing system
- Dual 3"- spaced safety locks
- Automatic arm restraints
- Truck and van adapters
- Telescoping screw pads
- Adjustable wide or narrow drive-thru configurations
- Durable powder coat finish
- Open top design
- Large steel base plates
- Heavy-duty 3/8" equalizer cables
- Rugged steel construction

XPR-9S
Shorty Floor Plate
5175390



Lifting Capacity - 9,000 lbs.
Max. Rise - 78"
Width - 132" or 145" / Height - 113"

XPR-9S-LP
Shorty Floor Plate
Low-Pro™ Arms
5175391



Lifting Capacity - 9,000 lbs.
Max. Rise - 78"
Width - 132" or 145" / Height - 113"

XPR-12FDL
Heavy-Duty Floor Plate
5175403



Includes 16-Piece Adapter Set

Lifting Capacity - 12,000 lbs.
Max. Rise - 74"
Width - 155" / Height - 144"

Low-Pro™ Arms



2-stage low-profile arms
featured on LP lift models

XPR-12FDL-LWB
Heavy-Duty Floor Plate
Long-Wheelbase Arms
5175404



Includes 16-Piece Adapter Set

Lifting Capacity - 12,000 lbs.
Max. Rise - 74"
Width - 155" / Height - 144"

Triple-telescoping arms



XPR-9S



INTRODUCING **A TALLER TOOL** FOR TOWERING TECHS

NEW!



For technicians challenged to work under a lift all day, common injuries stem from poor working posture and improperly fitted equipment. BendPak's **NEW 10,000-lb. capacity XPR-10AXLS and XPR-10XLS** two-post lifts feature over **80 inches of lifting height** to absolutely tower above other lifts. Make all jobs easier and support the long-term health of taller techs. Plus, get the best warranty and after-sale support that only comes with BendPak.

See pg. 4

1-805-933-9970 • bendpak.com

*Free shipping on BendPak products to the 48 contiguous states.
© 2018 BendPak Inc. BendPak is a registered trademark.

BP BendPak®

Heavy-Duty Clearfloor

SERIES FEATURES:

- Dual-synchro equalization system
- Electric / hydraulic power system
- UHMW polyethylene bearings
- Single-piece columns
- Dual "Direct-Drive" cylinders
- Single point safety release
- Automatic arm restraints
- 8-piece truck and van adapters
- Oversized column base plates
- Padded safety-shutoff bar
- Safety locks in each column
- Heavy-duty 1/2" equalizer cables
- Powder coat finish
- Rubber door bumpers
- Versatile drop in contact pads with convenient storage
- Triple-telescoping arms / XPR-12 series
- Extended height top-beam provides greater overhead clearance
- Oversized cable sheave diameter
- Rubber lift pads with stackable adapters

XPR-12CL Clearfloor

5175405



**Includes
16-Piece Adapter Set**

Lifting Capacity - 12,000 lbs.
Max. Rise - 74"
Width - 155" / Height - 170"

XPR-15CL Clearfloor

5175408



**Includes
16-Piece Adapter Set**

Lifting Capacity - 15,000 lbs.
Max. Rise - 74"
Width - 155" / Height - 170"

XPR-18CL Clearfloor

5175409



**Includes
16-Piece Adapter Set**

Lifting Capacity - 18,000 lbs.
Max. Rise - 74"
Width - 155" / Height - 170"

XPR-12CL-LWB Long-Wheelbase Arms

5175973



**Includes
16-Piece Adapter Set**

Lifting Capacity - 12,000 lbs.
Max. Rise - 74"
Width - 155" / Height - 170"

16-Piece Adapter Set



Included on all truck two-post models



ACCESSORIES:



Polyurethane Tuf-Pads
5715017 (ea)



Frame Cradle Pads
5215702 (ea)



Mobile High-Lift Jack Stand
5175207 (ea)



Steel Lift Pads
5215692 (ea)



Air / Electric Work Station
5210438



**GUNMETAL GRAY
COMES STANDARD
ON ALL BENDPAK LIFTS**

Padded overhead safety shutoff bar

Oversized cable sheave diameter
reduces cable fatigue

- Heavy-duty 1/2" aircraft-quality equalizer cables
- Safety locks every 3"

XPR-12CL-192 5175407

XPR-15CL-192 5175410

XPR-18CL-192 5175411

XPR-12CL-LWB-192 5175415

Features bolt on
top extension for
added 24" clearance



FREE 16-Piece adapter set comes
standard with all Heavy-Duty Lifts