


SD Series™ Cord and Light Reels

Engineered Solutions to Help you Work Smarter and Faster



Quality Cord and Light Reels

Organize your work space for a safer, more productive work environment. Make Graco your single source for your entire reel bank.



PROVEN QUALITY. LEADING TECHNOLOGY.

ALL THESE
FEATURES FOR
BETTER
PERFORMANCE

Durable Frame in Two Sizes

Choose from the heavy-duty steel construction of the SD Series size 5 or 10. Provides options for fitting into tight spaces and has a durable finish for corrosion protection and long life.

Multiple Cord Lengths

Meets Graco's high quality standards to ensure cords will last. Choose from 35, 50, and 95 foot options to fit your shop perfectly.

Adjustable Arm

Easily change the arm position to fit more applications. Works on walls, ceilings or bench mounts.

Heavy-Duty Pedestal

High-strength steel construction with rolled edges and ribbed stress points that won't flex or twist.

Strong, Durable Spring

Completely enclosed for longer life. Easy to access on the open side of the reel for quick service.

Multiple Configurations Available

Comes with or without receptacles so you can configure it for our specific needs. Light reels come in your choice of fluorescent or LED with optional tool tap receptacle.



UL/CSA Approved

Graco Fits Your Business

Complete Line of Reels

SD Series™ Cord and Light Reels are built for long lasting performance you've come to expect from Graco products – a perfect complement to Graco's line of hose reels. Take the hassle out of having to deal with twisted and tangled cords, and turn to Graco for a single, trouble free solution.

Features Galore

We offer a variety of configurations so you get exactly the right fit for the task at hand. Choose the durable SD Series fluorescent to shed light exactly where you need it or work faster with an SD Series LED light with tool tap to light up your work area with the convenience of connecting tools without leaving your work area.

Plus, Graco offers cord reels with single and duplex industrial receptacles to extend your reach while eliminating trip hazards.



Compact Design

We made the footprint narrower than competitive reels by tucking the spring cassette inside the spool. The spring is completely enclosed to protect components from harmful elements—and is easier and safer to repair. You get a narrower reel with extended service life for a better value. Compare other reels to Graco's slim 4.7 inch profile—it's great for fitting into enclosures for a professional look. All Graco cord and light reels feature an exclusive slip ring design that promotes long life and durability.



Why Buy Graco?

- Durable, heavy gauge steel frame won't flex or bend so your equipment is ready when you need it
- Strong spring has the capacity to take on more load than the competition and is easy to pull down and retract so you don't have to fight to get it to operate
- One source for your entire automotive or industrial reel bank so you get everything you want including expert help when you need it
- Meets UL355*, CSA22.2 No. 21 and IP44 standards for general, commercial and industrial grade use
- Enclosed spring and components are protected from harmful elements for longer lasting operation
- Easy to install, maintain, and repair

* Rated for light outdoor use

SD Series™ Cord and Light Reels



Fluorescent Light

Patented tough service lamp is impact resistant and virtually unbreakable.



Fluorescent Light with Single Tool Tap

Easy grip handle comes with built-in tool tap.



LED Light

Durable, energy efficient LED's provide superior lighting. Poly carbonate outer tube is scratch resistant to handle a rough environment. Features a flashlight end for seeing into small spaces.



LED Light with In-Line Tool Tap

Convenient for connecting tools and accessories without leaving your work area.

Ordering Information

All Graco cord and light reels have a black finish and are 120 volt with UL/CSA approved.

Part Number	Size	Accessory	AWG	Amp	Cord Length	Insulation
24Y859	5	No Accessory – Cord Only	12	20	50 ft (15 m)	SJ00W
24Y880	10		12	18	95 ft (29 m)	SJ00W
24Y861	5	Single Industrial Receptacle	16	13	50 ft (15 m)	SJT0W
24Y862	5		12	20	35 ft (10 m)	SJ00W
24Y863	5		12	20	50 ft (15 m)	SJ00W
24Y882	10		12	18	95 ft (29 m)	SJ00W
24Y864	5	Tri-Plug GFCI Industrial Receptacle	12	15	50 ft (15 m)	SJ00W
24Y883	10		12	15	95 ft (29 m)	SJ00W
24Y865	5	Fluorescent Light	16	<1	35 ft (10 m)	SJT0W
24Y866	5		16	<1	50 ft (15 m)	SJT0W
24Y884	10		16	<1	95 ft (29 m)	SJT0W
24Y868	5	Fluorescent Light with Single Tool Tap Plug	16	10	50 ft (15 m)	SJT0W
24Y869	5	LED Light	16	<1	35 ft (10 m)	SJT0W
24Y870	5		16	<1	50 ft (15 m)	SJT0W
24Y886	10		16	<1	95 ft (29 m)	SJT0W
24Y871	5	LED Light with In-line Tool Tap	16	12	35 ft (10 m)	SJT0W
24Y872	5		16	12	50 ft (15 m)	SJT0W
24Y887	10		16	10	95 ft (29 m)	SJT0W



24Y862

Single Industrial Receptacle

NEMA plug provides reliable performance in tough environments where accessories are continuously changed out. The 13 amp design features an over-molded plug for increased durability.



24Y883

Tri-Plug GFCI Industrial Receptacle

The triple industrial receptacle features a rubberized accessory and utilizes GFCI with open neutral protection to provide a safe working environment.

Accessories

Ordering Information

Mounting Channel For Ceiling*	For use when mounting reels without an enclosure.	
	1 Reel	2 Reels
SD Series Size 5	24N674	24N675
SD Series Size 10**	24A934	24A935

*Please refer to the manual for larger channels. **Design is the same as SD Series size 10 hose reels.

Enclosed Reel Mounting Channel For Ceiling or Wall*	For use with enclosure kits only. Channels available to accommodate one to six reels.	
	1 Reel	2 Reels
Size 5 and 10	203521	203522

*Please refer to the manual for larger channels.

Cord Reel Enclosure Kits	Enclosure kit for one reel provides protection to extend the life of reel, while giving your shop a professional look.					
	White	Metallic Blue	Red	Black	Dark Blue	Yellow
Size 5 Enclosure and spacer bracket	24N690	24N682	24N683	24N684	24N691	24N685
Size 10* Enclosure kit for one reel	24A217	24A940	24A941	24A942	24A943	24A944
End Panel Kits**	—	—	—	24A950	—	—

*Same kit as Size 10 hose reels. **One panel kit needed per bank of reels.

Retrofit Mounting Brackets for SD Series Reels

24P164	Size 5 spacer bracket only, for mounting in existing size 10 enclosure.
24P880	Size 5 spacer bracket only, for mounting in existing size 20 enclosure.
24P881	Size 10 spacer bracket only, for mounting in existing size 20 enclosure.
16N883	Clamping plate to mount size 5 reel to existing SD Series open channel.

Swivel Mount Bracket For Wall

Allows reel to swivel 120° with two lockable positions

24N814	SD Series size 5
24N444	SD Series size 10

Easy Slide-in Mount For Ceiling or Wall

Allows you to slide the reel in and out for easy installation

24N686	SD Series size 5
24H193	SD Series size 10

I-Beam Mounting Kit For Ceiling

Secures mounting channel to I-beam without drilling

204741	Fits SD Series size 5 and 10 reels. Two brackets are required for one to three reels.
--------	---

Hands-free Magnetic Clip

16P999	Magnetic clip with non-marring cover won't scratch vehicle finish. Snap onto light tube for hands-free operation. Spin the fixture to direct light where you need it.
--------	---



Dimensions


SD Series Size 5	
A	3.5 in (89 mm)
B	6.38 in (162 mm)
C	4.7 in (120 mm)
D	7.48 in (190 mm)
E†	14.8 in (376 mm)
F*	6.6 in (168 mm)
G**	13.84 in (352 mm)

SD Series Size 10	
A	3.5 in (89 mm)
B	7.5 in (191 mm)
C	4.7 in (120 mm)
D	9 in (229 mm)
E†	19.5 in (498 mm)
F*	7 in (177 mm)
G**	17.5 in (445 mm)

† Measurement taken from base to top of bolts.

* Measurement taken from edge of spool to front of arm.

** Measurement taken from end of wire-nut to top surface of cover.



AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000 Fax: 612-623-6777

EUROPE

BELGIUM

Graco BVBA
Industrieterrein-Oude Bunders
Slakweidestraat 31
B-3630 Maasmechelen,
Belgium
Tel: 32 89 770 700 Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500 Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South,
Huangpu District
Shanghai, 200011
The People's Republic of China
Tel: 86 21 649 50088 Fax: 86 21 649 50077

INDIA


Graco Hong Kong Ltd.
India Liaison Office
Room 443, Level 4
Augusta Point, Golf Course Road
Gurgaon, Haryana, India 122001
Tel: 91 124 435 4208 Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300 Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400 Fax: 82 31 476 9801



Graco's got you covered

Facilities Worldwide for Global Support



Quality First

At Graco we pride ourselves on providing best-in-class products. Engineered solutions are manufactured in our own facilities, with the highest standards in the industry. We provide you with world-class customer support and expertise to help solve your lubrication challenges.



Global Reach

Graco has facilities and distribution partners across the globe to provide you with the products and service *you* need, where *you* live. Plus, Graco has dedicated field experts in all areas of the world to support the products we sell.



Product Capabilities

Graco has a broad range of products to provide solutions that meet your needs. Our products are engineered and tested to perform in the harshest environments so you can be certain your equipment is protected and working at peak performance.

Contact us today!

Call **800-533-9655** to speak with a Graco representative,
or visit **www.graco.com** for more information.

